

新竹捐血中心
血液成品QC測試報告

製備場所：血液成分課

測試月份：107 年 5 月

Components		Test	No of tested /No of prepared	Test Result		Target Value
				Mean	SD	
紅血球類	Packed RBCs	Hct	28 / 19,013	67	5.4	55-80% w/o SAGM
						50-70% w. SAGM
	Leukocyte Reduced RBCs	leukocyte count ($\times 10^6$ /unit)	12 / 10,242	0.04	0.02	$< 5 \times 10^6$ /unit
血小板類	Platelet Concentrate	platelet count ($\times 10^{10}$ /unit)	20 / 3,302	4.8	1.18	$\geq 2.75 \times 10^{10}$ /unit
		pH	20 / 3,302	7.3	0.13	≥ 6.2
	Apheresis Platelets	platelet count ($\times 10^{11}$ /unit)	34 / 1,162	3.6	0.36	$\geq 3.0 \times 10^{11}$ /unit
		pH	9 / 1,162	7.5	0.18	≥ 6.2
	Leukocyte Reduced Apheresis Platelets	leukocyte count ($\times 10^6$ /unit)	20 / 1,912	0.42	0.79	$< 5 \times 10^6$ /unit
		platelet count ($\times 10^{11}$ /unit)	60 / 1,912	3.3	0.32	$\geq 3.0 \times 10^{11}$ /unit
		pH	12 / 1,912	7.6	0.08	≥ 6.2
血漿類	FFP	Factor VIII	12 / 20,596	79	23	$\geq 70\%$
		RBC count ($\times 10^9$ /L)	28 / 20,596	ND		$< 6.0 \times 10^9$ /L
		leukocyte count ($\times 10^9$ /L)	28 / 20,596	ND		$< 0.1 \times 10^9$ /L
		platelet count ($\times 10^9$ /L)	28 / 20,596	0.0	0.0	$< 50 \times 10^9$ /L
	Cryo	factor VIII	12 / 3,814	93		≥ 40 IU /unit
		fibrinogen	12 / 3,814	198	31	≥ 75 mg /unit

註記：

1.FFP 之紅血球數目及白血球數目其檢驗值低於 CBC偵測極限，以Not Detectable,"ND" 表示。

2.No of tested/No of prepared 之 No, 表示為unit。

表QP-BB-032-6.7-001

機密等級：■一般 □限閱 □密 □機密