

醫療財團法人台灣血液基金會台中捐血中心

血液成品 QC 測試報告

製備場所：成分課

測試月份： 111 年 11 月

Components		Test	No of tested /No of prepared	Test Result		Target Value
				Mean	SD	
紅 血 球 類	Packed RBCs	Hct	NA	NA	NA	55-80% w/o SAGM
			NA	NA	NA	50-70% w. SAGM
	Leukocyte Reduced RBCs	leukocyte count ($\times 10^6$ /unit)	63/50,783	0.11	0.079	$< 5 \times 10^6$ /unit
血 小 板 類	Platelet Concentrate	platelet count ($\times 10^{10}$ /unit)	24/78	4	0.69	$\geq 2.75 \times 10^{10}$ /unit
		pH	24/78	7.4	0.086	≥ 6.2
	Apheresis Platelets	platelet count ($\times 10^{11}$ /unit)	4/230	3.5	0.26	$\geq 3.0 \times 10^{11}$ /unit
		pH	4/230	7.6	0.032	≥ 6.2
	Leukocyte Reduced Apheresis Platelets	leukocyte count ($\times 10^6$ /unit)	22/5,230	0.45	0.27	$< 5 \times 10^6$ /unit
		platelet count ($\times 10^{11}$ /unit)	22/5,230	3.4	0.29	$\geq 3.0 \times 10^{11}$ /unit
		pH	22/5,230	7.5	0.083	≥ 6.2
血 漿 類	FFP	Factor VIII	13/24,207	92	24	$\geq 70\%$
		RBC count ($\times 10^9$ /L)	38/24,207	0.32	0.3	$< 6.0 \times 10^9$ /L
		leukocyte count ($\times 10^9$ /L)	38/24,207	0.00073	0.0013	$< 0.1 \times 10^9$ /L
		platelet count ($\times 10^9$ /L)	38/24,207	2.2	3.7	$< 50 \times 10^9$ /L
	Cryo	factor VIII	12/8,512	94		≥ 40 IU /unit
		fibrinogen	12/8,512	201		≥ 75 mg /unit

備註：Factor VIII、Fibrinogen 測試頻率為每 2 個月執行。

表 QP-BB-032-6.7-001