

醫療財團法人台灣血液基金會 新竹捐血中心

血液成品QC測試報告

製備場所: 成分課及採血課

測試月份: 114 年 07 月

| 血品 | 測試項目 | 規格 | 標準 | 測試結果 | | |
|---------------------|------------|--------------------------------|-------|-------|-------|------------|
| | | | | Mean | SD | Confidence |
| RBCs | Leukocytes | < 5.0 x 10 ⁶ /unit | ≥ 95% | 0.11 | 0.12 | >99% |
| Leukoreduced | Hct | ≤ 80% | ≥ 90% | 64.36 | 4.48 | >99% |
| Apheresis Platelets | Platelets | ≥ 3.0 x 10 ¹¹ /unit | ≥ 90% | 3.31 | 0.33 | >99% |
| | pH | ≥ 6.2 | ≥ 90% | 7.57 | 0.09 | >99% |
| Apheresis Platelets | Platelets | ≥ 3.0 x 10 ¹¹ /unit | ≥ 90% | 3.41 | 0.21 | >99% |
| | pH | ≥ 6.2 | ≥ 90% | 7.66 | 0.07 | >99% |
| Leukoreduced | Leukocytes | < 5.0 x 10 ⁶ /unit | ≥ 95% | 0.15 | 0.09 | >99% |
| FFP | FVIII | ≥ 70% | ≥ 90% | | | |
| | RBCs | < 6.0 x 10 ⁹ /L | ≥ 90% | 0.40 | 0.38 | >99% |
| | Leukocytes | < 0.1 x 10 ⁹ /L | ≥ 90% | 0.003 | 0.004 | >99% |
| | Platelets | < 50 x 10 ⁹ /L | ≥ 90% | 1.75 | 4.60 | >99% |
| Cryo-precipitate | FVIII | ≥ 70 IU/袋* | ≥ 90% | | | |
| | Fibrinogen | ≥ 140 mg/袋* | ≥ 90% | | | |

*每袋Cryo來自500ml全血製備